

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/940,324	08/27/2001	Robert T. George	2207/12003	5090	
²⁵⁶⁹³ KENYON & K	7590 10/19/200 ENYON LLP		EXAMINER		
	TOWERS, SUITE 600	·	KIM, HONG CHONG		
333 W. SAN CARLOS ST. SAN JOSE, CA 95110			ART UNIT	PAPER NUMBER	
			2185		
			MAIL DATE	DELIVERY MODE	
			10/19/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		$\mathit{in} \sim$				
	Application No.	Applicant(s)				
	09/940,324	GEORGE ET AL.	•			
Office Action Summary	Examiner	Art Unit				
	Hong C. Kim	2185				
The MAILING DATE of this communication ap Period for Reply	pears on the cover she	et with the correspondence addres	5S			
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	PATE OF THIS COMM 136(a). In no event, however, n will apply and will expire SIX (6 e, cause the application to beco	UNICATION. nay a reply be timely filed) MONTHS from the mailing date of this commume ABANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 20 A	<u>lugust 2007</u> .					
· <u>—</u>	s action is non-final.					
,—	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under I	Ex parte Quayle, 1935	C.D. 11, 453 O.G. 213.				
Disposition of Claims		•				
4) Claim(s) <u>1-17</u> is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) <u>1-17</u> is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	wn from consideration					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	cepted or b) objected or b) objected or b) objected or about of the drawing of th	peyance. See 37 CFR 1.85(a). wing(s) is objected to. See 37 CFR 1				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received ts have been received prity documents have t au (PCT Rule 17.2(a)).	in Application No been received in this National Sta	ge			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Pape	view Summary (PTO-413) r No(s)/Mail Date e of Informal Patent Application				

Art Unit: 2185

DETAILED ACTION

1. Claims 1-17 are presented for examination. This office action is in response to the amendment filed on 8/20/07.

Information Disclosure Statement

2. Applicants are reminded of the duty to disclose information under 37 CFR 1.56.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1-17 are rejected under 35 U.S.C. 102(e) as being anticipated by Wilson US patent No. 6,560,681 or Barroso et al. (Barroso) US Patent No. 6,668,308.

As to claim 1, Wilson discloses a cache-coherent I/O device (Fig. 4) comprising: a plurality of client ports (connections on Ref. 422 from Ref. 412 and 424 from 414), each to be coupled to one of a plurality of port components (connections on Refs. 412 and 414 from Refs 422 and 424 respectively or connections on Refs. 422 and 424 from Ref 440); a plurality of sub-unit caches (Fig. 4 Refs. 422 and 424), each coupled to one

Art Unit: 2185

of said plurality of client ports and assigned to one of said plurality of port components (Fig. 4); and a coherency engine (Fig. 4 Ref. 450) coupled to said plurality of sub-unit.

Alternatively, Barroso discloses a cache-coherent I/O device (Fig. 1) comprising: a plurality of client ports (connections on Refs. 121's from 110's), each to be coupled to one of a plurality of port components (connections on Refs. 110's from 121's or connections on Refs. 121's from 132 and 132); a plurality of sub-unit caches (Refs. 121's), each coupled to one of said plurality of client ports and assigned to one of said plurality of port components (Fig. 1 and col. 4 lines 17-18); and a coherency engine (Fig. 1 Ref. 140 & Fig. 4 and col. 11 lines 23-27 & col. 4 lines 18-19) coupled to said plurality of sub-unit.

As to claim 2, Wilson and Barroso disclose the invention as claimed in the above. Wilson further discloses wherein said plurality of port components includes processor port components (connections on Refs. 412 and 414 from Refs 422 and 424 respectively or connections on Refs. 422 and 424 from Ref 440). Barroso further discloses wherein said plurality of port components includes processor port components (connections on Refs. 110's from 121's or connections on Refs. 121's from 132 and 132).

As to claim 3, Wilson and Barroso disclose the invention as claimed in the above. Wilson further discloses wherein said plurality of port components includes input/output components (connections on Refs. 412 and 414 from Refs 422 and 424 respectively or

Art Unit: 2185

connections on Refs. 422 and 424 from Ref 440). Barroso further discloses wherein said plurality of port components includes input/output components (connections on Refs. 110's from 121's or connections on Refs. 121's from 132 and 132).

As to claim 4, Wilson and Barroso disclose the invention as claimed in the above. Wilson further discloses wherein said plurality of sub-unit caches includes transaction buffers (col. 3 line 38-40) using a coherency logic protocol (col. 3 lines 32-33). Barroso further discloses wherein said plurality of sub-unit caches includes transaction buffers (col. 8 line 15-16) using a coherency logic protocol (Fig. 4).

As to claim 5, Wilson and Barroso disclose the invention as claimed in the above. Barroso further discloses the coherency logic protocol includes a Modified-Exclusive-Shared-Invalid (MESI) cache coherency protocol (col. 8 lines 16-18).

As to claim 6, Wilson discloses a processing system comprising (Fig. 4): a processor (Fig. 4 Ref 402); a plurality of port components (connections on Refs. 412 and 414 from Refs 422 and 424 respectively or connections on Refs. 422 and 424 from Ref 440); and a cache-coherent I/O device (Fig. 4 Ref 410) coupled to said processor and including a plurality of client ports (connections on Ref. 422 from Ref. 412 and 424 from 414), each coupled to one of said plurality of port components, said cache-coherent device further including a plurality of caches (Fig. 4 Refs. 422 and 424), each coupled to one of said plurality of client ports and assigned to one of said plurality of

Art Unit: 2185

port components (Fig. 4), and a coherency engine (Fig. 4 ref. 450) coupled to said plurality of caches.

Alternatively, Barroso discloses a processing system comprising (Fig. 3): a processor (Fig. 3 Ref 10); a plurality of port components (connections on Refs. 110's from 121's or connections on Refs. 121's from 132 and 132); and a cache-coherent I/O device (Fig. 1) coupled to said processor and including a plurality of client ports (connections on Refs. 121's from 110's), each coupled to one of said plurality of port components, said cache-coherent device further including a plurality of caches (Fig. 1 Refs. 121's), each coupled to one of said plurality of client ports and assigned to one of said plurality of port components (col. 4 lines 17-18), and a coherency engine (Fig. 1 Ref. 140 & Fig. 4 and col. 11 lines 23-27 7 col. 4 lines 18-19) coupled to said plurality of caches.

As to claim 7, Wilson and Barroso disclose the invention as claimed in the above. Wilson further discloses wherein said plurality of port components includes processor port components (connections on Refs. 412 and 414 from Refs 422 and 424 respectively or connections on Refs. 422 and 424 from Ref 440). Barroso further discloses wherein said plurality of port components includes processor port components (connections on Refs. 110's from 121's or connections on Refs. 121's from 132 and 132).

Page 6

Art Unit: 2185

As to claim 8, Wilson and Barroso disclose the invention as claimed in the above. Wilson further discloses wherein said plurality of port components includes input/output components (connections on Refs. 412 and 414 from Refs 422 and 424 respectively or connections on Refs. 422 and 424 from Ref 440). Barroso further discloses wherein said plurality of port components includes input/output components (connections on Refs. 110's from 121's or connections on Refs. 121's from 132 and 132).

As to claim 9, Wilson discloses the invention as claimed. Wilson discloses a method comprises receiving a transaction request (Fig, 5 Ref. 502) at one of said plurality of client ports (connections on Ref. 422 from Ref. 412 and 424 from 414) on the I/O cache-coherent device (Fig. 4), said transaction request includes an address (Fig. 5 ref. 512, address); and determining whether said address is present (Fig. 5 ref. 512, compare) in a plurality of sub unit-caches (Fig. 4 Refs. 422 and 424), each of said sub-unit caches assigned to said one of said plurality of client ports (Fig. 4).

Alternatively, Barroso discloses a method comprises receiving a transaction request (col. 7 lines 62-64, executing instruction set) at one of said plurality of client ports (connections on Refs. 121's from 110's) on the I/O cache-coherent device (Fig. 1), said transaction request includes an address (col. 8 line 12, tag compare); and determining whether said address is present (col. 8 line 12, tag compare) in a plurality of sub unit-caches (Ref. 121's), each of said sub-unit caches assigned to said one of said plurality of client ports (col. 4 lines 17-18).

Page 7

As to claim 10, Wilson and Barroso disclose the invention as claimed in the above. Wilson further discloses wherein said transaction request is a read transaction request (Fig. 5 Ref. 502, col. 5 lines 37-42). Barroso further discloses wherein said transaction request is a read transaction request (col. 7 lines 62-64, executing instruction set).

As to claim 11, Wilson and Barroso disclose the invention as claimed in the above. Wilson further discloses transmitting data for said read transaction request from said one of said plurality of sub-unit caches to one of said plurality of client ports (Fig. 5 Ref. 528). Barroso further discloses transmitting data for said read transaction request from said one of said plurality of sub-unit caches to one of said plurality of client ports (col. 8 lines 12, tag compare logic reads on this limitation since tag compare operation including read and write operations).

As to claim 12, Wilson and Barroso disclose the invention as claimed in the above. Wilson further discloses prefetching one or more cache lines ahead of said read transaction request (cache memory reads on this limitation since the cache memory is used to assure that the currently useful data of main memory are copied into the small and fast cache for the purpose of increasing data access speed by means of spatial and temporal localities); and updating the coherency state (col. 3) information in said plurality of sub-unit caches. Barroso further discloses prefetching one or more cache lines ahead of said read transaction request (cache memory reads on this

Art Unit: 2185

limitation since the cache memory is used to assure that the currently useful data of main memory are copied into the small and fast cache for the purpose of increasing data access speed by means of spatial and temporal localities); and updating the coherency state (col. 8 lines 15-20) information in said plurality of sub-unit caches.

As to claim 13, Wilson and Barroso disclose the invention as claimed in the above. Barroso further discloses the coherency logic protocol includes a Modified-Exclusive-Shared-Invalid (MESI) cache coherency protocol (col. 8 lines 16-18).

As to claim 14, Wilson and Barroso disclose the invention as claimed in the above. Wilson further discloses wherein said transaction request is a write transaction request (col. 5 lines 38-39). Barroso further discloses wherein said transaction request is a write transaction request (col. 7 lines 62-64, executing instruction set).

As to claim 15, Wilson and Barroso disclose the invention as claimed in the above. Barroso further discloses modifying coherency state information for a cache line in said one of said plurality of sub-unit caches; updating coherency state information in others of said plurality of sub-unit caches by said coherency engine; and transmitting data for said write transaction request from said one of said plurality of sub-unit caches to memory (MESI protocol reads on this limitation and col. 8 lines 16-20).

Art Unit: 2185

As to claim 16, Wilson and Barroso disclose the invention as claimed in the above. Barroso further discloses write transaction request in the order received and pipelining multiple write requests (col. 4 lines 44-46)

As to claim 17, Wilson and Barroso disclose the invention as claimed in the above. Barroso further discloses wherein the coherency state information includes a Modified-Exclusive-Shared-Invalid (MESI) cache coherency protocol (col. 8 lines 15-18).

4. Claims 5, 13, and 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wilson US patent No. 6,560,681 in view of Jim Handy, "The Cache Memory Handbook" TK7895.M4H35, 1993, pp 140-240.

As to claims 5 and 13, Wilson discloses the invention as claimed above.

Although Wilson discloses a cache coherency protocol (col. 3), however, Wilson does not specifically disclose wherein said coherency logic protocol includes a Modified-Exclusive-Shared-Invalid (MESI) cache coherency protocol.

However, it is well known in the cache art to using MESI cache coherency protocol for the purpose of maintaining data consistency thereby increasing the memory access speed. For example, Handy discloses many different coherency logic protocols includes a Modified-Exclusive-Shared-Invalid (MESI) cache coherency protocol (Page 159).

Accordingly, it would have been obvious to one having ordinary skill in the art at the time the invention was made to add the coherency logic protocol includes a

Art Unit: 2185

Modified-Exclusive-Shared-Invalid (MESI) cache coherency protocol of Handy into the invention of Wilson for the advantages stated above.

As to claim 15, Wilson and Handy disclose the invention as claimed in the above. Handy further discloses modifying coherency state information for a cache line in said one of said plurality of sub-unit caches; updating coherency state information in others of said plurality of sub-unit caches by said coherency engine; and transmitting data for said write transaction request from said one of said plurality of sub-unit caches to memory (MESI protocol reads on this limitation and pages 159-161).

As to claim 16, Wilson and Handy disclose the invention as claimed in the above. Wilson further discloses write transaction request in the order received and pipelining multiple write requests (col. 5 line 41)

As to claim 17, Wilson and Handy disclose the invention as claimed in the above. Handy further discloses wherein the coherency state information includes a Modified-Exclusive-Shared-Invalid (MESI) cache coherency protocol (Page 159).

Response to Arguments

Applicant's arguments filed 8/20/07 have been fully considered but they are not 5. persuasive.

In response to applicant's argument on pages 2-5 in the amendment that the cited reference does not disclose port components has been fully considered but it is not persuasive.

Wilson discloses port components (connections on Refs. 412 and 414 from Refs 422 and 424 respectively or connections on Refs. 422 and 424 from Ref 440).

Barroso also discloses port components (connections on Refs. 110's from 121's or connections on Refs. 121's from 132 and 132).

Conclusion

- 1. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 2. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2185

71/7 OOTHOT HAITIBOT: 03/340,02

3. When responding to the office action, Applicant is advised to clearly point out the

Page 12

patentable novelty which he or she thinks the claims present in view of the state of the

art disclosed by the references cited or the objections made. He or she must also show

how the amendments avoid such references or objections. See 37 C.F.R. ' 1.111(c).

4. When responding to the office action, Applicants are advised to provide the

examiner with the line numbers and page numbers in the application and/or references

cited to assist examiner to locate the appropriate paragraphs.

5. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Hong C Kim whose telephone number is (571) 272-

4181. The examiner can normally be reached on M-F 9:00 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Sanjiv Shah can be reached on (571) 272-4098. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Any inquiry of a general nature or relating to the status of this application should

be directed to the TC 2100 whose telephone number is (571) 272-2100.

Art Unit: 2185

Page 13

6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

7. Any response to this action should be mailed to:

Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

or faxed to TC-2100: (571)-273-8300

Hand-delivered responses should be brought to the Customer Service Window (Randolph Building, 401 Dulany Street, Alexandria, VA 22314).

HK Primary Patent Examiner October 11, 2007 12 Ch